



tubi saldati
da nastro laminato a freddo



TUBO TONDO

DIMENSIONE mm " d "	spessore mm				
	1	1,2	1,5	2	2,5
	peso in Kg./mt.				
6	0,123				
8	0,172				
9,5	0,210				
10	0,222	0,260	0,314		
12	0,271	0,319	0,388		
13	0,295	0,349	0,425		
14	0,320	0,378	0,462	0,592	
15	0,345	0,408	0,499	0,641	
16	0,369	0,437	0,536	0,690	
18	0,419	0,496	0,610	0,788	
20	0,468	0,556	0,684	0,887	
22	0,517	0,615	0,757	0,985	
24	0,566	0,674	0,832	1,085	
25	0,591	0,703	0,868	1,130	1,387
26	0,616	0,733	0,906	1,184	1,449
28	0,665	0,792	0,979	1,281	1,572
30	0,714	0,851	1,053	1,380	1,695
32	0,764	0,911	1,127	1,478	1,819
35	0,838	0,999	1,238	1,626	2,003
38	0,912	1,089	1,349	1,776	2,189
40	0,961	1,147	1,423	1,873	2,311
42	1,010	1,206	1,497	1,971	2,435
45	1,084	1,295	1,608	2,119	2,620
48	1,160	1,380	1,719	2,267	2,805
50	1,209	1,443	1,793	2,366	2,928
60	1,454	1,739	2,162	2,859	3,544
70		2,036	2,533	3,350	4,160
76		2,213	2,755	3,650	4,530
80		2,331	2,903		
89		2,598	3,237		


tubi saldati
da nastro laminato a freddo



TUBO QUADRO

DIMENSIONE mm "a" x "a"	spessore mm			
	1	1,2	1,5	
	peso in Kg./mt.			
10 x 10	0,283			
12 x 12	0,345	0,407		
14 x 14	0,419	0,483		
15 x 15	0,444	0,520		
16 x 16	0,469	0,558		
18 x 18	0,543	0,633		
20 x 20	0,592	0,709	0,872	
22 x 22	0,666	0,784	0,966	
25 x 25	0,764	0,897	1,107	
30 x 30	0,912	1,086	1,343	
35 x 35	1,085	1,274	1,578	
40 x 40	1,233	1,462	1,814	
45 x 45	1,406	1,650	2,050	
50 x 50	1,541	1,820	2,270	
60 x 60		2,216	2,756	
70 x 70		2,593	3,227	

tubi saldati
da nastro laminato a freddo






TUBO RETTANGOLARE

DIMENSIONE mm "a" x "b"	spessore mm			
	1	1,2	1,5	
	peso in Kg./mt.			
15 x 10	0,370	0,437	0,536	
20 x 10	0,444	0,526	0,647	
20 x 15	0,518	0,615	0,757	
25 x 10	0,518	0,615	0,757	
25 x 15	0,592	0,703	0,868	
30 x 10	0,592	0,703	0,868	
30 x 15	0,666	0,792	0,979	
30 x 20	0,764	0,911	1,127	
35 x 10	0,666	0,792	0,979	
35 x 15	0,764	0,911	1,127	
35 x 20	0,838	0,999	1,238	
40 x 10	0,764	0,911	1,127	
40 x 15	0,838	0,999	1,238	
40 x 20	0,912	1,088	1,349	
40 x 25	0,986	1,206	1,497	
40 x 30	1,085	1,295	1,608	
50 x 10	0,912	1,088	1,349	
50 x 15	0,986	1,206	1,497	
50 x 20	1,085	1,295	1,608	
50 x 25	1,159	1,384	1,719	
50 x 30	1,233	1,443	1,793	
60 x 20	1,233	1,443	1,793	

tubi saldati
da nastro laminato a freddo

TUBO OVALE - SEMIOVALE - ELLITTICO

	DIMENSIONE mm "a" x "b"	spessore mm			
		1	1,2	1,5	2
		peso in Kg./mt.			
OVALE 	20 x 10	0,370	0,449		
	25 x 15	0,503	0,598	0,736	
	30 x 15	0,592	0,691	0,853	
	33 x 10	0,592	0,694	0,856	
	36 x 18	0,715	0,836	1,050	
	40 x 20	0,789	0,933	1,160	
	50 x 25	1,011	1,207	1,458	
	60 x 20	1,085	1,296	1,626	
	60 x 30		1,440	1,790	
	80 x 25		1,665	2,070	
SEMIOVALE 	40 x 20	0,863	1,009	1,248	
	40 x 25	0,912	1,083	1,341	
ELLITTICO 	30 x 15	0,555	0,660	0,758	
	76 x 25		1,590	1,980	
	100 x 50				3,855